



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/782,254

02/19/2004

Geary L. Eppley

MS1-1862US

4978

22801 7590 03/16/2009

LEE & HAYES, PLLC
601 W. RIVERSIDE AVENUE
SUITE 1400
SPOKANE, WA 99201

EXAMINER

SYED, FARHAN M

ART UNIT

PAPER NUMBER

2165

MAIL DATE

DELIVERY MODE

03/16/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/782,254	Applicant(s) EPPLEY ET AL.	
	Examiner FARHAN M. SYED	Art Unit 2165	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1 and 3-33 are pending. The Examiner acknowledges amended claims 1 and 3-5, cancelled claim 2, and newly added claim 33.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 16 January 2009 has been entered.

Response to Remarks/Argument

3. Applicant's arguments with respect to claims 1 and 3-33 have been considered but are moot in view of the new ground(s) of rejection.

The Examiner's rejections of the claims, now set forth are in light of the applicant's arguments against the art applied, But applied in the modified position therefore, the arguments are deemed moot.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2165

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1 and 5-9, 12-16, 19-24, and 27-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Campailla (U.S. 7,136,899, filed 11 December 2000)(newly presented) in view of a non-patent literature titled "Dynamic Query Evaluation Plans" by Graefe, Goetz, et al., ACM, Proceedings of the 1989 ACM SIGMOD International Conference on Management Data, 1989, pages 356-366 (newly presented and known hereinafter as Graefe) and in further view of a non-patent literature titled "On Efficient Matching of Streaming XML Documents and Queries" by Lakshmanan et al, University of British Columbia, Canada, 2002, pages 1-20 (previously presented and known hereinafter as Lakshmanan).

As per claim 1, Campailla teaches a method, comprising: receiving an input of data (i.e. *"The input message queue module receives the sequence of information messages from a publisher message generation system"*) The preceding text clearly indicates that receiving of conforming input data is performed by receiving sequence of information messages from a publisher message generation system.) (see Figures 1 and 3; column 5, lines 50-57) that conforms to a query language(i.e. *"The broker server includes an input message queue module and a plurality of inverse query subscription modules."*) The preceding text clearly indicates that the use of an inverse query module suggests using some form of query language.)(see Figures 1 and 3; column 5, lines 50-57) used by a filter engine (i.e. *"inverse query modules"*) According to Applicant's disclosure, see page 1, lines 13-17, where filter engines may be called inverse query engines. The Examiner equates inverse query engines as inverse query modules.) (see Figures 1 and 3; column 5, lines 50-57) comprising two or more

filter sub-engines (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n.)(see Figures 1 and 3), wherein at least one filter sub-engine is a general filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_1 is a general filter sub-engine.)(see Figures 1 and 3) and at least one filter sub-engine is an optimized filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_2 is an optimized filter sub-engine.)(see Figures 1 and 3).

Campailla does not explicitly teach determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result.

Graefe teaches determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine,(i.e. *"Dynamic access modules consist of the same components, only the binding between components is more flexible. The only new component is the decision procedure used to analyze the actual query constants and the data distribution. When an access module is activated, the first step is to evaluate the decision tree. In addition to the decision tree designed by the optimizer, the access module must also contain the support functions for all possible query evaluation plans. These support functions include comparisons, has functions, etc."*)(see section 5, pages 361), wherein the subset of the query language does not include all aspects of the language (i.e. Dynamic query evaluation systems include optimized sub-filter engine which is a subset of a general query and implements a choice-plan operator to realize both multi-

Art Unit: 2165

plan access modules and dynamic plans. This operator provides the same open, next, close protocol as the other operators and can therefore be inserted into a query plan at any location.)(see section 6, pages 361-362); and processing the input to derive a result (i.e. Section 6.1 provides experimental results that clearly indicates processing the input derives result.)(section 6.1, pages 361-363).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe to include determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

Campailla and Graefe do not explicitly teach the method of if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language.

Lakshmanan teaches if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for optimized filter for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of*

its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries may have repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1." The preceding text clearly suggests that a selective sub-engine occurs in the background that produces multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1); if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to the general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language (i.e. "We have implemented a MatchMaker system for matching XML documents to queries and for providing notification service. As an overview, XML data streams through the MatchMaker, with which users have registered their requirements in the form of queries, in a requirements registry. The MatchMaker consults the registry in determining which users a given data element is relevant to." *"A naïve way to obtain these labels is to process the user queries, one at a time, finding all its matchings, and compile the answers into appropriate label sets for the document nodes. This strategy is very inefficient as it makes a number of passes over the given document, proportional to the number of queries."* The preceding text clearly indicates that a general sub-engine is a user queries that is used to find all matchings. Unlike a specific sub-engine that returns selected matchings, a general sub-engine, akin to a user queries performs a general search that retrieves all matchings.)(Lashmanan, pages 3-4).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe and with the further teachings of Lakshmananto include determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to

handle all aspects of the language with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 2, Campailla teaches, wherein: the optimized filter sub-engine and the general sub-engine are encompassed by a single filter engine (i.e. *"Broker system encompasses the inverse query modules"*)(See Figure 3).

As per claim 5, the combination of Campailla and Graefe do not explicitly teach a method, wherein the optimized filter sub-engine is a first optimized filter sub-engine and wherein the method comprises: if determining indicates that the input cannot be processed by the first optimized filter sub-engine, then instead of directing the input to the general filter sub-engine for processing: determining whether the input can be processed by the a second optimized filter sub-engine, wherein the second optimized filter sub-engine is configured to handle only a subset of the language, and wherein the subset of the language that the second optimized filter sub-engine is configured to handle is different than the subset of the language that the first optimized filter sub-engine is configured to handle; if the determining indicates that the input can be processed by the second optimized filter sub-engine, then directing the input to the second optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the second optimized filter sub-engine, then directing then directing the input to the general optimized filter sub-engine for processing.

Lakshmanan teaches a method, wherein the selective sub-engine includes a first sub-engine which supports only a first unique subset of the query language and a second sub-engine which supports only a second unique subset of the query language (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries mayhave repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1."* The preceding text clearly suggests that a selective sub-engine occurs in the background that produces multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1) and wherein the method comprises: determining whether the input can be processed by the first sub-engine or by the second sub-engine: if the determining indicates that the input can be processed by the first sub-engine, then directing the input to the first sub-engine for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries mayhave repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1."* The preceding text clearly suggests that a selective sub-engine occurs in the background that produces multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1); if the determining indicates that the input can be processed by the second sub-engine, then directing the input to the second sub-engine for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries mayhave repeating tags and (ii) the same query may have multiple matchings into a given document. Both these*

features are illustrated in Figure 1." The preceding text clearly suggests that a selective sub-engine occurs in the background that produces multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1); and if the determining indicates that the input cannot be processed by the first sub-engine, and that the input cannot be processed by the second sub-engine, then directing then directing the input to the general sub-engine for processing (i.e. "We have implemented a MatchMaker system for matching XML documents to queries and for providing notification service. As an overview, XML data streams through the MatchMaker, with which users have registered their requirements in the form of queries, in a requirements registry. The MatchMaker consults the registry in determining which users a given data element is relevant to." *"A naïve way to obtain these labels is to process the user queries, one at a time, finding all its matchings, and compile the answers into appropriate label sets for the document nodes. This strategy is very inefficient as it makes a number of passes over the given document, proportional to the number of queries."* The preceding text clearly indicates that a general sub-engine is a user queries that is used to find all matchings. Unlike a specific sub-engine that returns selected matchings, a general sub-engine, akin to a user queries performs a general search that retrieves all matchings.)(Lashmanan, pages 3-4).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Altinel with the teachings of Lakshmanan to include a method, wherein the optimized filter sub-engine is a first optimized filter sub-engine and wherein the method comprises: if determining indicates that the input cannot be processed by the first optimized filter sub-engine, then instead of directing the input to the general filter sub-engine for processing: determining whether the input can be processed by the a second optimized filter sub-engine, wherein the second optimized filter sub-engine is configured to handle only a subset of the language, and wherein the subset of the language that the second optimized filter sub-

Art Unit: 2165

engine is configured to handle is different than the subset of the language that the first optimized filter sub-engine is configured to handle; if the determining indicates that the input can be processed by the second optimized filter sub-engine, then directing the input to the second optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the second optimized filter sub-engine, then directing then directing the input to the general optimized filter sub-engine for processing. with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 6, Campailla teaches a method, further comprising: parsing the input to identify first and second sub-expressions (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the first sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression can be processed by the selective sub-engine, directing the first sub-expression to the optimized filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression cannot be processed by the optimized filter sub-engine, directing the first sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8;

Art Unit: 2165

column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the second sub-expression can be processed by the optimized filter sub-engine; if the second sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45), directing the second sub-expression to the optimized filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and if the second sub-expression cannot be processed by the optimized filter sub-engine, directing the second sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 7, Campailla teaches a method, further comprising: obtaining a result of the processing of the first sub-expression (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and processing the second sub-expression only if the result of the first sub-expression is true (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5,

Art Unit: 2165

lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 8 Campailla teaches a filter engine, comprising: receiving an input of data (i.e. *"The input message queue module receives the sequence of information messages from a publisher message generation system"*) The preceding text clearly indicates that receiving of conforming input data is performed by receiving sequence of information messages from a publisher message generation system.) (see Figures 1 and 3; column 5, lines 50-57) that conforms to a query language(i.e. *"The broker server includes an input message queue module and a plurality of inverse query subscription modules."*) The preceding text clearly indicates that the use of an inverse query module suggests using some form of query language.)(see Figures 1 and 3; column 5, lines 50-57) used by a filter engine (i.e. "inverse query modules" According to Applicant's disclosure, see page 1, lines 13-17, where filter engines may be called inverse query engines. The Examiner equates inverse query engines as inverse query modules.) (see Figures 1 and 3; column 5, lines 50-57) comprising two or more filter sub-engines (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n.)(see Figures 1 and 3), wherein at least one filter sub-engine is a general filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_1 is a general filter sub-engine.)(see Figures 1 and 3) and at least one filter sub-engine is an optimized filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_2 is an optimized filter sub-engine.)(see Figures 1 and 3).

Campailla does not explicitly teach determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result.

Graefe teaches determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine,(i.e. *“Dynamic access modules consist of the same components, only the binding between components is more flexible. The only new component is the decision procedure used to analyze the actual query constants and the data distribution. When an access module is activated, the first step is to evaluate the decision tree. In addition to the decision tree designed by the optimizer, the access module must also contain the support functions for all possible query evaluation plans. These support functions include comparisons, has functions, etc.”*)(see section 5, pages 361), wherein the subset of the query language does not include all aspects of the language (i.e. Dynamic query evaluation systems include optimized sub-filter engine which is a subset of a general query and implements a choice-plan operator to realize both multi-plan access modules and dynamic plans. This operator provides the same open, next, close protocol as the other operators and can therefore be inserted into a query plan at any location.)(see section 6, pages 361-362); and processing the input to derive a result (i.e. Section 6.1 provides experimental results that clearly indicates processing the input derives result.)(section 6.1, pages 361-363).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe to include determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of

Art Unit: 2165

the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

Campailla and Graefe do not explicitly teach the method of if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language.

Lakshmanan teaches if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for optimized filter for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries may have repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1."* The preceding text clearly suggests that a selective sub-engine occurs in the background that produces multiple matchings in a given document.) (Lakshmanan, page 4; Figure 1); if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to the general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language (i.e. *"We have implemented a*

Art Unit: 2165

MatchMaker system for matching XML documents to queries and for providing notification service. As an overview, XML data streams through the MatchMaker, with which users have registered their requirements in the form of queries, in a requirements registry. The MatchMaker consults the registry in determining which users a given data element is relevant to." *"A naïve way to obtain these labels is to process the user queries, one at a time, finding all its matchings, and compile the answers into appropriate label sets for the document nodes. This strategy is very inefficient as it makes a number of passes over the given document, proportional to the number of queries."* The preceding text clearly indicates that a general sub-engine is a user queries that is used to find all matchings. Unlike a specific sub-engine that returns selected matchings, a general sub-engine, akin to a user queries performs a general search that retrieves all matchings.)(Lashmanan, pages 3-4).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe and with the further teachings of Lakshmananto include determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 9, Campailla teaches a filter engine, wherein the analyzer is further configured to analyze a new filter added to the filter engine and to determine an appropriate matcher with which to associate the new filter (See Figures 1, 3, 4, 6, and 8;

Art Unit: 2165

column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 12, Campailla teaches a method, further comprising: parsing the input to identify first and second sub-expressions (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the first sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression can be processed by the selective sub-engine, directing the first sub-expression to the optimized filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression cannot be processed by the optimized filter sub-engine, directing the first sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the second sub-expression can be processed by the optimized filter sub-engine; if the second sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45), directing the second sub-expression to the optimized filter sub-engine for processing

Art Unit: 2165

(See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and if the second sub-expression cannot be processed by the optimized filter sub-engine, directing the second sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 13, Campailla teaches a method, further comprising: obtaining a result of the processing of the first sub-expression (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and processing the second sub-expression only if the result of the first sub-expression is true (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 14, Campailla teaches a filter engine, wherein the at least one optimized matcher further comprises: a first selective sub-engine configured to process inputs that conform to a first subset of the input language (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); a second selective

Art Unit: 2165

sub-engine configured to process inputs that conform to a second subset of the input language (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and wherein the first subset and the second subset are unique subsets of the input language (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 15, Campailla teaches one or more computer-readable storage media containing computer-executable instructions that, when executed direct a computer system to: receiving an input of data (i.e. *"The input message queue module receives the sequence of information messages from a publisher message generation system"* The preceding text clearly indicates that receiving of conforming input data is performed by receiving sequence of information messages from a publisher message generation system.) (see Figures 1 and 3; column 5, lines 50-57) that conforms to a query language(i.e. *"The broker server includes an input message queue module and a plurality of inverse query subscription modules."* The preceding text clearly indicates that the use of an inverse query module suggests using some form of query language.)(see Figures 1 and 3; column 5, lines 50-57) used by a filter engine (i.e. "inverse query modules" According to Applicant's disclosure, see page 1, lines 13-17, where filter engines may be called inverse query engines. The Examiner equates inverse query engines as inverse query modules.) (see Figures 1 and 3; column 5, lines 50-57) comprising two or more filter sub-engines (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n.)(see Figures 1 and 3), wherein at least one filter sub-engine is a general filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query

Art Unit: 2165

sub_n, and where inverse query sub_1 is a general filter sub-engine.)(see Figures 1 and 3) and at least one filter sub-engine is an optimized filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_2 is an optimized filter sub-engine.)(see Figures 1 and 3).

Campailla does not explicitly teach determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result.

Graefe teaches determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine,(i.e. *"Dynamic access modules consist of the same components, only the binding between components is more flexible. The only new component is the decision procedure used to analyze the actual query constants and the data distribution. When an access module is activated, the first step is to evaluate the decision tree. In addition to the decision tree designed by the optimizer, the access module must also contain the support functions for all possible query evaluation plans. These support functions include comparisons, has functions, etc."*)(see section 5, pages 361), wherein the subset of the query language does not include all aspects of the language (i.e. Dynamic query evaluation systems include optimized sub-filter engine which is a subset of a general query and implements a choice-plan operator to realize both multi-plan access modules and dynamic plans. This operator provides the same open, next, close protocol as the other operators and can therefore be inserted into a query plan at any location.)(see section 6, pages 361-362); and processing the input to derive a result (i.e. Section 6.1 provides experimental results that clearly indicates processing the input derives result.)(section 6.1, pages 361-363).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe to include determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

Campailla and Graefe do not explicitly teach the method of if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language.

Lakshmanan teaches if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for optimized filter for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries may have repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1."*) The preceding text clearly suggests that a selective sub-engine occurs in the background that produces

multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1); if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to the general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language (i.e. "We have implemented a MatchMaker system for matching XML documents to queries and for providing notification service. As an overview, XML data streams through the MatchMaker, with which users have registered their requirements in the form of queries, in a requirements registry. The MatchMaker consults the registry in determining which users a given data element is relevant to." *"A naïve way to obtain these labels is to process the user queries, one at a time, finding all its matchings, and compile the answers into appropriate label sets for the document nodes. This strategy is very inefficient as it makes a number of passes over the given document, proportional to the number of queries."* The preceding text clearly indicates that a general sub-engine is a user queries that is used to find all matchings. Unlike a specific sub-engine that returns selected matchings, a general sub-engine, akin to a user queries performs a general search that retrieves all matchings.)(Lashmanan, pages 3-4).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe and with the further teachings of Lakshmananto include determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 16, Campailla teaches a computer-readable media, further comprising the step of accepting input messages for both the selective sub-engine and the general sub-engine by way of a single input means so that an input message sending application does not have to distinguish between the selective sub-engine and the general sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 19, Campailla teaches a method, further comprising: parsing the input to identify first and second sub-expressions (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the first sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression can be processed by the selective sub-engine, directing the first sub-expression to the optimized filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); if the first sub-expression cannot be processed by the optimized filter sub-engine, directing the first sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column

Art Unit: 2165

7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); determining whether the second sub-expression can be processed by the optimized filter sub-engine; if the second sub-expression can be processed by the optimized filter sub-engine (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45), directing the second sub-expression to the optimized filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and if the second sub-expression cannot be processed by the optimized filter sub-engine, directing the second sub-expression to the general filter sub-engine for processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 20, Campailla teaches a computer-readable storage media, further comprising the step of deriving a final result of the input message processing from at least one result of the sub-expression processing (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 21, Campailla teaches a method, further comprising: obtaining a result of the processing of the first sub-expression (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures

Art Unit: 2165

1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and processing the second sub-expression only if the result of the first sub-expression is true (i.e. *"All the filters at a location step must evaluate to TRUE in order for the evaluation to continue to the descendant location steps."*) (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 23, Campailla teaches a message processing system, comprising: receiving an input of data (i.e. *"The input message queue module receives the sequence of information messages from a publisher message generation system"*) The preceding text clearly indicates that receiving of conforming input data is performed by receiving sequence of information messages from a publisher message generation system.) (see Figures 1 and 3; column 5, lines 50-57) that conforms to a query language (i.e. *"The broker server includes an input message queue module and a plurality of inverse query subscription modules."*) The preceding text clearly indicates that the use of an inverse query module suggests using some form of query language.) (see Figures 1 and 3; column 5, lines 50-57) used by a filter engine (i.e. "inverse query modules" According to Applicant's disclosure, see page 1, lines 13-17, where filter engines may be called inverse query engines. The Examiner equates inverse query engines as inverse query modules.) (see Figures 1 and 3; column 5, lines 50-57) comprising two or more filter sub-engines (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n.) (see Figures 1 and 3), wherein at least one filter sub-engine is a general filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_1 is a general filter sub-engine.) (see Figures 1 and 3) and at least one filter sub-engine

Art Unit: 2165

is an optimized filter sub-engine (see Figure 3 that illustrates two or more filter sub-engines, i.e. inverse query sub_1, inverse query sub_2, ...inverse query sub_n, and where inverse query sub_2 is an optimized filter sub-engine.)(see Figures 1 and 3).

Campailla does not explicitly teach determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result.

Graefe teaches determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine,(i.e. *"Dynamic access modules consist of the same components, only the binding between components is more flexible. The only new component is the decision procedure used to analyze the actual query constants and the data distribution. When an access module is activated, the first step is to evaluate the decision tree. In addition to the decision tree designed by the optimizer, the access module must also contain the support functions for all possible query evaluation plans. These support functions include comparisons, has functions, etc."*)(see section 5, pages 361), wherein the subset of the query language does not include all aspects of the language (i.e. Dynamic query evaluation systems include optimized sub-filter engine which is a subset of a general query and implements a choice-plan operator to realize both multi-plan access modules and dynamic plans. This operator provides the same open, next, close protocol as the other operators and can therefore be inserted into a query plan at any location.)(see section 6, pages 361-362); and processing the input to derive a result (i.e. Section 6.1 provides experimental results that clearly indicates processing the input derives result.)(section 6.1, pages 361-363).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe to include determining whether the input can be processed by an optimized filter sub-engine wherein the optimized filter sub-engine is configured to handle only a subset of the query language handled by the general filter sub-engine, wherein the subset of the query language does not include all aspects of the language; and processing the input to derive a result with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

Campailla and Graefe do not explicitly teach the method of if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language.

Lakshmanan teaches if the determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for optimized filter for processing (i.e. *"A more clever approach is to devise algorithms that make a constant number of passes over the document and determine the queries answered by each of its elements. This will permit set-oriented processing whereby multiple queries are processed together. Such an algorithm is non-trivial since: (i) queries may have repeating tags and (ii) the same query may have multiple matchings into a given document. Both these features are illustrated in Figure 1."*) The preceding text clearly suggests that a selective sub-engine occurs in the background that produces

multiple matchings in a given document.)(Lakshmanan, page 4; Figure 1); if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to the general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language (i.e. "We have implemented a MatchMaker system for matching XML documents to queries and for providing notification service. As an overview, XML data streams through the MatchMaker, with which users have registered their requirements in the form of queries, in a requirements registry. The MatchMaker consults the registry in determining which users a given data element is relevant to." *"A naïve way to obtain these labels is to process the user queries, one at a time, finding all its matchings, and compile the answers into appropriate label sets for the document nodes. This strategy is very inefficient as it makes a number of passes over the given document, proportional to the number of queries."* The preceding text clearly indicates that a general sub-engine is a user queries that is used to find all matchings. Unlike a specific sub-engine that returns selected matchings, a general sub-engine, akin to a user queries performs a general search that retrieves all matchings.)(Lashmanan, pages 3-4).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla with the teachings of Graefe and with the further teachings of Lakshmananto include determining indicates that the input can be processed by the optimized filter sub-engine, then directing the input to the optimized filter sub-engine for processing; and if the determining indicates that the input cannot be processed by the optimized filter sub-engine, then directing the input to a general sub-engine for processing, wherein the general filter sub-engine is configured to handle all aspects of the language with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 22, Campailla teaches a computer-readable storage media, wherein each matcher includes a set of queries against which input messages directed to the respective matchers are tried, and wherein each set of queries is unique (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 24, Campailla teaches a message processing system, wherein: the optimized filter processor further comprises a first set of queries against which a message directed to the optimized filter processor is compared (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); the general filter processor further comprises a second set of queries against which a message directed to the general filter processor is compared; and the first set of queries contains fewer queries than the second set of queries (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 27, Campailla teaches a message processing system, wherein the optimized filter processor further comprises means for optimizing message processing over the set of queries included in the optimized filter processor (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 28, Campailla teaches a message processing system, wherein the means for optimizing message processing further comprises a hash function (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 29, Campailla teaches a message processing system, wherein: the optimized filter processor is a first filter processor; and the message processing system further comprises a second optimized filter processor to which messages may be directed, the second optimized filter processor supporting a unique subset of the query language (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45); and the distribution means is further configured to direct the message to the second optimized filter processor if the first optimized filter processor cannot process the message but the second optimized filter processor can process the message (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 30, Campailla teaches a message processing system, further comprising means for parsing the message into constituent sub-expressions, and the analyzing means is further configured to process individual sub-expression as an individual message and to evaluate sub-expression processing results to derive a result

Art Unit: 2165

corresponding to the message (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 31, Campailla teaches a message processing system, wherein the message is a sub-expression of a parent message (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 32, Campailla teaches a message processing system, further comprising means for determining whether a filter in the system is associated with the generalized filter processor or the optimized filter processor (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

As per claim 33, Campailla teaches determining comprises generating a hash of the input data in order to determine if an optimized sub-engine is capable of handling the input data (See Figures 1, 3, 4, 6, and 8; column 4, lines 5-15 and 33-67; column 5, lines 50-67; column 6, lines 1-67; column 7, lines 1-15; column 7, lines 43-56; column 9, lines 15-40 and 55-67; and column 10, lines 15-45).

6. Claims 3-4, 10-11, 17-18, and 25-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Campailla (U.S. 7,136,899, filed 11 December 2000)(newly presented) in view of a non-patent literature titled "Dynamic Query Evaluation Plans" by

Art Unit: 2165

Graefe, Goetz, et al., ACM, Proceedings of the 1989 ACM SIGMOD International Conference on Management Data, 1989, pages 356-366 (newly presented and known hereinafter as Graefe) in further view of a non-patent literature titled "On Efficient Matching of Streaming XML Documents and Queries" by Lakshmanan et al, University of British Columbia, Canada, 2002, pages 1-20 (previously presented and known hereinafter as Lakshmanan), and in further view of a non-patent literature titled "Efficient Filtering of XML Documents for Selective Dissemination of Information," by Mehmet Altinel et al., 26th VLDB Conference, 2000, pages 53-64 (previously presented and known hereinafter as Altinel).

As per claim 3, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine.

Altinel teaches wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine (i.e. *"For Xfilter, we implemented callback functions for parsing events of encounter: 1) a begin element tag; 2) an end element tag; or 3) data internal to an element. All of the handlers are passed the name and document level of the element for (or in) which the parsing event occurred."*)(Page 57, section 4.2, paragraph 3).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine with the motivation to provide more flexibility and better performance for both conventional

Art Unit: 2165

and non-conventional database management systems and applications (Graefe, page 359).

As per claim 4, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach wherein the language comprises a query language based on eXtensible Markup Language (XML).

Altinel teaches wherein the language comprises a query language based on eXtensible Markup Language (XML) (i.e. *"XML provides a mechanism for tagging document contents in order to better describe their organization. It allows the hierarchial organization of a document as a root element that includes sub-elements; elements can be nested to any depth."*)(Page 54, section 2.1, paragraph 3).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include wherein the language comprises a query language based on eXtensible Markup Language (XML) with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 10, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach a filter engine, wherein the input language is Xpath.

Altinel teaches a filter engine, wherein the input language is Xpath (i.e. *"The profile model used in Xfilter is based on Xpath, a language for addressing parts of an XML document that was*

Art Unit: 2165

designed for use by both the XSL Transformation and Xpointer languages.")(Page 54, section 2.2, paragraph 1).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include a filter engine, wherein the input language is Xpath with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 11, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine.

Altinel teaches wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine (i.e. *"For Xfilter, we implemented callback functions for parsing events of encounter: 1) a begin element tag; 2) an end element tag; or 3) data internal to an element. All of the handlers are passed the name and document level of the element for (or in) which the parsing event occurred."*)(Page 57, section 4.2, paragraph 3).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include wherein the determining further comprises recognizing whether or not the input conforms to a grammar of the optimized filter sub-engine with the motivation to provide more flexibility and better performance for both conventional

Art Unit: 2165

and non-conventional database management systems and applications (Graefe, page 359).

As per claim 17, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach a filter engine, wherein the input language is Xpath.

Altinel teaches a filter engine, wherein the input language is Xpath (i.e. "*The profile model used in Xfilter is based on Xpath, a language for addressing parts of an XML document that was designed for use by both the XSL Transformation and Xpointer languages.*") (Page 54, section 2.2, paragraph 1).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include a filter engine, wherein the input language is Xpath with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 18, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach wherein the language comprises a query language based on eXtensible Markup Language (XML).

Altinel teaches wherein the language comprises a query language based on eXtensible Markup Language (XML) (i.e. "*XML provides a mechanism for tagging document contents in order to better describe their organization. It allows the hierarchial organization of a document*").

Art Unit: 2165

as a root element that includes sub-elements; elements can be nested to any depth.")(Page 54, section 2.1, paragraph 3).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include wherein the language comprises a query language based on eXtensible Markup Language (XML) with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 25, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach a message processing system, wherein: the message conforms to an XML query language; the general filter processor is configured to support the entire XML query language and the optimized filter processor is configured to support a subset of the XML query language.

Altinel teaches a message processing system, wherein: the message conforms to an XML query language; the general filter processor is configured to support the entire XML query language (i.e. *"XML provides a mechanism for tagging document contents in order to better describe their organization. It allows the hierarchial organization of a document as a root element that includes sub-elements; elements can be nested to any depth."*)(Page 54, section 2.1, paragraph 3); and the optimized filter processor is configured to support a subset of the XML query language (i.e. *"XML provides a mechanism for tagging document contents in order to better describe their organization. It allows the hierarchial organization of a document as a root element that includes sub-elements; elements can be nested to any depth."*)(Page 54, section 2.1, paragraph 3).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include a message processing system, wherein: the message conforms to an XML query language; the general filter processor is configured to support the entire XML query language and the optimized filter processor is configured to support a subset of the XML query language with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

As per claim 26, the combination of Campailla, Graefe, and Lakshmanan do not explicitly teach a filter engine, wherein the input language is Xpath.

Altinel teaches a filter engine, wherein the input language is Xpath (i.e. "*The profile model used in Xfilter is based on Xpath, a language for addressing parts of an XML document that was designed for use by both the XSL Transformation and Xpointer languages.*") (Page 54, section 2.2, paragraph 1).

It would have been obvious to a person of ordinary skill in the art at the time of Applicant's invention to modify the teachings of Campailla, Graefe, and Lashmanan with the teachings of Altinel to include a filter engine, wherein the input language is Xpath with the motivation to provide more flexibility and better performance for both conventional and non-conventional database management systems and applications (Graefe, page 359).

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Farhan M. Syed whose telephone number is 571-272-7191. The examiner can normally be reached on 8:30AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christian Chace can be reached on 571-272-4190. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Farhan M Syed/
Examiner, Art Unit 2165